


PRODUCT-DETAILS

BEA38-4K1

BEA38-4K1 Connecting Link with Manual Motor Starter



General Information

Extended Product Type	BEA38-4K1
Product ID	1SBN082324T1000
EAN	3471523013643
Catalog Description	BEA38-4K1 Connecting Link with Manual Motor Starter
Long Description	BEA38-4K1 Connecting Link with Manual Motor Starter

Technical

Suitable For	MS132 AF26 AF26Z AF30 AF30Z AF38 AF38Z AFC26 AFC30 AFC38
Rated Operational Voltage	Main Circuit 690 V AC
Terminal Type	Push-in Spring Terminals

Dimensions

Product Net Width	45 mm
Product Net Height	85 mm

Product Net Depth / Length	36 mm
Product Net Weight	56.3 g

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	215 mm
Package Level 1 Height	80 mm
Package Level 1 Depth / Length	180 mm
Package Level 1 Gross Weight	651.6 g
Package Level 1 EAN	3471523013643
Package Level 2 Units	box 5 piece
Package Level 2 Width	245 mm
Package Level 2 Height	305 mm
Package Level 2 Depth / Length	300 mm
Package Level 2 Gross Weight	3.258 kg

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
E-Number (Finland)	3708088

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SBD250021U1000
Declaration of Conformity - UKCA	1SBD250043U1000
Instructions and Manuals	1SBC101058M6801
RoHS Information	1SBD250021U1000

Popular Downloads

Instructions and Manuals	1SBC101058M6801
--------------------------	-----------------

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8538 90 99
UNSPSC	39120000
eClass	V11.0 : 27371392

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

