



Ref. Certif. No.

FR_710036/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Multiple cord extension set

Name and address of the applicant

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

NINGBO BANMEN ELECTRIC APPLIANCE CO., LTD.
East Industrial Zone, Guanhaiwei
315314 Cixi City, Zhejiang Province - CHINA

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)

legrand

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC FR_710036 dated 19/11/2020.
Update the list of components

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002 +A1:2006 +A2:2013
IEC 60884-2-7:2011 +A1:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

ABND-ESH-P21080567-1
ABND-ESH-P21080567-2


This CB Test Certificate is issued by the National Certification Body



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
92266 FONTENAY AUX ROSES

Signature: 
Julien Gauthier
Certification Officer


Date: 25/11/2021

ANNEX

References, ratings and main characteristics:

Model	Reference	Number of socket-outlets	Cable cross-section area & cable length (H05VV-F)	With USB	With CBE	With SPD	With power indicator	Color of enclosure
RNP10	0 494 40	4	3G1,5mm ² / 1,5m	N	Y	N	Y	WHITE/ BLACK
	0 494 41	6	3G1,5mm ² / 1,5m	N	Y	N	Y	WHITE/ BLACK
	0 494 42	3	3G1,0mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 43	3	3G1,5mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 44	3	3G1,0mm ² / 1,5m	N	N	N	N	BLACK
	0 494 45	3	3G1,5mm ² / 1,5m	N	N	N	N	BLACK
	0 494 46	4	3G1,0mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 47	4	3G1,5mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 48	4	3G1,0mm ² / 1,5m	N	N	N	N	BLACK
	0 494 49	4	3G1,5mm ² / 1,5m	N	N	N	N	BLACK
	0 494 50	5	3G1,0mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 51	5	3G1,5mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 52	5	3G1,0mm ² / 1,5m	N	N	N	N	BLACK
	0 494 53	5	3G1,5mm ² / 1,5m	N	N	N	N	BLACK
	0 494 54	6	3G1,0mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 55	6	3G1,5mm ² / 1,5m	N	N	N	N	WHITE/ BLACK
	0 494 56	6	3G1,0mm ² / 1,5m	N	N	N	N	BLACK
	0 494 57	6	3G1,5mm ² / 1,5m	N	N	N	N	BLACK
	0 494 58	3	3G1,5mm ² / 3m	N	N	N	N	WHITE/ BLACK
	0 494 59	4	3G1,5mm ² / 3m	N	N	N	N	WHITE/ BLACK
	0 494 60	4	3G1,5mm ² / 3m	N	N	N	N	BLACK
	0 494 61	5	3G1,5mm ² / 3m	N	N	N	N	WHITE/ BLACK
	0 494 62	6	3G1,5mm ² / 3m	N	N	N	N	WHITE/ BLACK
	0 494 63	6	3G1,5mm ² / 3m	N	N	N	N	BLACK
	0 494 14	4	3G1,5mm ² / 1,5m	N	N	Y	N	WHITE/ BLACK
	0 494 15	4	3G1,0mm ² / 1,5m	N	N	Y	N	WHITE/ BLACK
	0 494 18	6	3G1,5mm ² / 1,5m	N	N	Y	N	WHITE/ BLACK
	0 494 19	6	3G1,0mm ² / 1,5m	N	N	Y	N	WHITE/ BLACK
	0 494 22	4	3G1,5mm ² / 1,5m	N	N	Y	N	BLACK
	0 494 23	4	3G1,0mm ² / 1,5m	N	N	Y	N	BLACK
0 494 26	6	3G1,5mm ² / 1,5m	N	N	Y	N	BLACK	
0 494 27	6	3G1,0mm ² / 1,5m	N	N	Y	N	BLACK	
RNP10U	0 494 16	3	3G1,5mm ² / 1,5m	Y	N	Y	N	WHITE/ BLACK
	0 494 17	3	3G1,0mm ² / 1,5m	Y	N	Y	N	WHITE/ BLACK
	0 494 20	5	3G1,5mm ² / 1,5m	Y	N	Y	N	WHITE/ BLACK
	0 494 21	5	3G1,0mm ² / 1,5m	Y	N	Y	N	WHITE/ BLACK
	0 494 24	3	3G1,5mm ² / 1,5m	Y	N	Y	N	BLACK
	0 494 25	3	3G1,0mm ² / 1,5m	Y	N	Y	N	BLACK
	0 494 28	5	3G1,5mm ² / 1,5m	Y	N	Y	N	BLACK
0 494 29	5	3G1,0mm ² / 1,5m	Y	N	Y	N	BLACK	

N = Not include this function; Y = include this function.


 LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr


Date: 25/11/2021

 Signature:  Julien Gauthier
 Certification Officer

ANNEX


CLASSIFICATION

standard Sheet:	Standard sheet V of CEE 7 (socket-outlet) / Standard sheet VII of CEE 7 (Plug)
rated current (A)	16A
rated load (W)	3680W
rated voltage (V)	250V
household voltage (V)	230V
degree of protection	IP20
provision for earthing	with earthing contact (Solid & non-solid earthing pin)
method of connecting the cable	Non-rewirable
type of terminals	-
type of connections	soldered / welded / other (riveted)
colour	white/black, black
socket-outlets	
multiple socket-outlets	16A : 3 to 6
number of socket-outlets	
degree of protection against electric shock	normal protection
existence of shutters	with shutters
method of application - mounting	portable type
method of installation	-
plugs:	
class of equipment	I
entry of cable	lateral

type of components	manufacturer	Certification
Plug	Legrand France	NF 666578/M1
		CB FR 558589/M1
Cable	Legrand France	VDE 40017697
Switch	Shenzhen Baokezhen Electronics Co., Ltd.	S 1818091
Alt.	Cixi City Minghe Xinghua	S 1909228
CBE (Over-current protection)	Zhejiang Pan'an Zhongzui Electric Appliance Limited Company	TUV R 50256828
SPD (surge protection)	Legrand France	LCIE test report No. ABND-ESH-P20071436
USB charger	Legrand France	LCIE test report No. ABND-ESH-P20071432
Alternative	Legrand France	ITS test report No. 210611012SZN-001
Socket-outlets	Legrand France	LCIE test report No.: ABND-ESH-P21080567-1



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr



Date: 25/11/2021


 Signature: **Julien Gauthier**
 Certification Officer