EU Declaration of Conformity



Document:		2017 / 9C1-3469520-EN-00	
Manufacturer or representative:		OSRAM GmbH	
Address:		Marcel-Breuer-Str. 6 80807 Munich Germany	
Brand name or trade mark:		OSRAM	
Product type:		LED module	
Product designation:		LINEARlight FLEX Protect Power	
		See attached list	
The designated product(s) is (are) in conformity with the relevant Union harmonisation legislation:			
	Low Voltage Directive: 2014/35/EU: Directive of the European Parliament and of the Council of 26 Febr 2014 on the harmonisation of the laws of the Member States relating to the mak available on the market of electrical equipment designed for use within certain voltage limits; Official Journal of the EU L96, 29/03/2014, p. 357-374		ne laws of the Member States relating to the making rical equipment designed for use within certain
\boxtimes	EMC Directive:	2014/30/EU: Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility; Official Journal of the EU L96, 29/03/2014, p. 79-106	
	2009/125/EC and amendments	Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy- related products	
	244/2009 and amendments	Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non- directional household lamps	
245/2009 and amendments		Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps, and repealing Directive 2000/55/EC of the European Parliament and of the Council	
	1194/2012 and amendments	Commission Regulation (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment	
	2011/65/EU and amendments	restriction of the use of certain	ament and of the Council of 8 June 2011 on the hazardous substances in electrical and electronic he EU L174, 1/07/2011, p. 88-110
		n the CE marking was affixed	d: 16
Place and date of signatures: Munich, the 06.02.2017			
Signatur	res: Mi-hand	an !	RASHOL
Quality Managen		nent	Quality Assurance
Names:	Mr. Richard Köpp	ol	Mr. Roberto Barbisan

Customer service contact: OSRAM GmbH, Steinerne Furt 62, 86167 Augsburg, Germany

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It certifies compliance with the indicated Directives, but implies no warranty of properties.

Document number: 2017 / 9C1-3469520-EN-00

The conformity of the designated product(s) with the provisions of the European **EMC Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 61547: 2009 Equipment for general lighting purposes — EMC immunity requirements

The conformity of the designated product(s) with the provisions of the European Directive 2009/125/EC is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

 9C1 3476735, 3475846, 3476748, 3478052

The conformity of the designated product(s) with the provisions of the European Directive 2011/65/EU is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

 2A1 3448477

EU Declaration of Conformity Attached list

Document number: 2017 / 9C1-3469520-EN-00

Models:

LFPyyyy-G3-kxx-zz for CRI= 80 or 90 LFPyyyy-G3-SWxx-zz for Shop using (CRI>80)

where:

yyyy: from 400 to 3000 lm/m k: 8 or 9, first digit of CRI

xx: from 24 to 65, the first 2 digits of CCT

zz: led module length (in m), according to the max length