

IEC**IECEE**

®

TM

Ref. Certif. No.

FR_715939

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Socket-outlet for fixed-electrical installations

Name and address of the applicant

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

Name and address of the factory

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

See Annex

Additional information (if necessary may also be reported on page 2)

/

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

13414770-775471

This CB Test Certificate is issued by the National Certification Body

**LCIE**LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCEwww.lcie.fr

Date: 17/11/2022

LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES

S.A.S au capital de 15.745.984 €

RCS Nanterre B 408 363 174

33 avenue du Général Leclerc

F - 92266 FONTENAY AUX ROSES

Signature:
Julien GAUTHIER
Certification Officer

ANNEX

Name and address of the factories:**LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX
FRANCE

NOVEA

7 impasse Montgolfier
87200 SAINT JUNIEN
FRANCE

ADAPEI Charente ESAT de St CLAUD

54 rue du FARNAUD
16450 SAINT CLAUD
FRANCE

LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT

IPARTELEPI UT 14 PF 10
6600 SZENTES
HUNGARY



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
33 avenue du Général Leclerc
92260 Fontenay-aux-Roses, FRANCE

www.lcie.fr

Date: 17/11/2022



LABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15.745.984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Signature: 
Julien GAUTHIER
Certification Officer

ANNEX

Mechanisms

References	References Grey	References Whit	References Anthracite	References Sand	Function	Nominal characteristics	Type of terminals	Mounting	Specificity
MIFA	0 695 51L	0 696 21L	0 698 91L	0 698 28L	2P+T	16A 250V~	Screwless	/	mechanism only
	0 700 42		0 700 47		2P+T	16A 250V~	Screwless	/	mechanism only
			0 698 07L		2P+T	16A 250V~	Screwless	flush-type	mechanism only and marking flap
			0 700 77		2P+T	16A 250V~	Screwless	flush-type	mechanism only and marking flap
	0 697 31L	0 697 81L	0 697 91L	0 697 76L	2P+T	16A 250V~	Screwless	surface type	mechanism with box
			0 697 87L		2P+T	16A 250V~	Screwless	surface type	mechanism with box and marking flap
	0 700 03 0 700 04	0 700 24	0 700 27	0 700 69	2P+T	16A 250V~	Screwless	surface type	mechanism with box
	0 698 31L	0 698 70L	0 698 60L		2P+T	16A 250V~	Screwless	flush-type	mechanism with frame
	0 700 31	0 700 34	0 700 38	0 700 75	2P+T	16A 250V~	Screwless	flush-type	mechanism with claw frame
	0 693 98L				2P+T	16A 250V~	Screwless	/	mechanism only
	0 693 78L				2P+T	16A 250V~	Screwless	surface type	mechanism with box
0 693 88L				2P+T	16A 250V~	Screwless	flush-type	mechanism with frame	
MIFV	0 695 52L	0 696 24L	0 698 40L		2P+T	16A 250V~	Screw-type	/	mechanism only
/	0 695 53L	0 696 23L			2P+T	16A 250V~	Screw-type	/	mechanism only tamperproof
MIFA2H	0 695 62L	0 696 42L	0 698 42L		2 x 2P+T	16A 250V~	Screwless	/	mechanism only pre-wired
	0 697 68L	0 697 78L	0 697 88L		2 x 2P+T	16A 250V~	Screwless	surface type	mechanism pre-wired with box
	0 700 05	0 700 25	0 700 64		2 x 2P+T	16A 250V~	Screwless	surface type	mechanism pre-wired with box
	0 693 76L				2 x 2P+T	16A 250V~	Screwless	flush-type	mechanism pre-wired with frame
		0 697 49L		2 x 2P+T	16A 250V~	Screwless	surface type	garden piquet	
MIFA3H	0 695 64L	0 696 44L	0 698 44L		3 x 2P+T	16A 250V~	Screwless	/	mechanism only pre-wired
	0 697 63L				3 x 2P+T	16A 250V~	Screwless	surface type	mechanism pre-wired with box
	0 700 14		0 700 66		3 x 2P+T	16A 250V~	Screwless	surface type	mechanism pre-wired with box
MIFA2V	0 695 63L	0 696 43L	0 698 43L		2 x 2P+T	16A 250V~	Screwless	/	mechanism only pre-wired
	0 700 13	0 700 18	0 700 65		2 x 2P+T	16A 250V~	Screwless	surface type	mechanism pre-wired with box



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 17/11/2022



Signature: **Julien GAUTHIER**
 Certification Officer

ANNEX


Characteristics

Standard Sheet	V (CEE7)
Rated current (A)	16A
Rated voltage (V)	250V
Degree of protection	IP55
Provision for earthing	With earthing contact
Method of connecting the cable	Rewirable
Type of terminals	Screw-type Screwless (rigid and flexible)
Number of socket-outlets	See table
Degree of protection against electric shock	Increased protection
Existence of shutters	With shutters
Method of application - mounting	See table
Method of installation:	Design A



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 17/11/2022



Signature: **Julien GAUTHIER**
 Certification Officer

ANNEX

Accessories

References Grey	References White	References Anthracite	References Sand	Designation
0 696 51L	0 696 89L	0 696 01L	0 698 63L	box 1 gang with membrane cable gland
0 700 50		0 700 56		box 1 gang with membrane cable gland
0 696 72L	0 696 90L	0 696 02L	0 698 67L	box 2 gangs with membrane cable gland
0 700 51		0 700 57		box 2 gangs with membrane cable gland
0 696 80L	0 696 88L	0 696 03L		box 3 gangs with membrane cable gland
0 700 52		0 700 58		box 3 gangs with membrane cable gland
0 696 52L				box 1 gang with PG16 cable gland on the top
0 696 56L	0 696 86L	0 696 28L		box 1 gang with ISO20 cable gland on the top
0 698 46L				box 1 gang with 2 ISO20 cable gland on the top
0 696 68L	0 698 66L	0 696 10L		box 2 gangs vertical with 2 ISO20 cable gland on the top
0 695 96L				membrane cable gland 1 entry
0 695 99L				membrane cable gland 2 entries
0 696 65L				coupling cable gland
0 696 48L				PG16 cable gland 1 entry
0 696 50L				PG16 cable gland 2 entries
0 696 53L				PG16 cable gland
0 696 60L	0 696 62L	0 696 63L		ISO20 cable gland 1 entry
0 696 70L	0 696 71L	0 696 73L		ISO20 cable gland 2 entries
0 695 98L				set of 4 caps
0 696 81L	0 696 92L	0 696 06L	0 698 90L	frame 1 gang
0 696 83L	0 696 94L	0 696 07L	0 698 53L	frame 2 gangs
0 700 54		0 700 94		frame 2 gangs
0 696 87L	0 696 98L	0 696 08L		frame 3 gangs
0 700 90		0 700 95		frame 3 gangs
0 695 79L		0 698 45L		Mosaic / Arteur adaptator with smoked flap lockable
0 919 45				Security tool
0 695 80L	0 696 95L	0 698 80L	0 698 38L	Mosaic / Arteur adaptator with smoked flap
0 695 84L	0 696 84L	0 698 30L		Mosaic / Arteur adaptator with flap
0 695 82L				Mosaic / Arteur adaptator without flap



LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES - LCIE
 33 avenue du Général Leclerc
 92260 Fontenay-aux-Roses, FRANCE
www.lcie.fr

Date: 17/11/2022

