

# LIMEA SUBTILO

SLI047222CCT\_PW


LED luminaire LIMEA SUBTILO with the possibility of changing the light color (CCT), with a power of 30 W, high light efficacy 120 lm/W. Thanks to the ability to change the color temperature (CCT) in the range from 3000K to 6000K, we can adjust the light color depending on our needs and preferences. Suitable for both surface and suspended mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.



Power	<b>30 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>3600 lm (360°)</b>	Colour temperature	<b>2700/4000/6000 K</b>
Colour of light	<b>CCT</b>	Beam angle	<b>120 °</b>
Degree of protection (IP)	<b>IP20</b>		


## Technical data

Code	SLI047222CCT_PW
Power	30 W
Nominal current	135 mA
Voltage	230 V
Energy consumption	30 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0.9
Useful luminous flux*	3600 lm (360°)
Luminous flux**	3000 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	2700/4000/6000 K
Colour of light	CCT
Beam angle	120 °
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	PLASTIC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	1200x60x35 mm
For use	Inside
Assembly method	natynkowy, zwieszany
Application	INTERNAL
Made in	PRC
Other	Funkcja zmiany barwy światła 2700K/4000K/6000K



## Related documents



 Declaration of Conformity

