

Declaration of conformity

UK
CE

We, Eaton Electrical Products Ltd.
Melton Road, Burton-on-the-Wolds, Leicestershire, LE12 5TH, UK

declare under our sole responsibility as manufacturer that the product (family)

Square-bodied fuse-links for photovoltaic applications

according to the list on page 2 and provided that it is installed, maintained and used in the application intended for, with respect to the relevant manufacturer's instructions, installation standards and "good engineering practices", complies with the statutory requirements:

2016 No. 1101 *The Electrical Equipment (Safety) Regulations 2016*

2012 No. 3032 *RoHS in Electrical and Electronic Equipment Regulations 2012*

based on compliance with the following standard(s):

EN 60269-1:2007 + A1:2009 + A2:2014

EN 60269-6:2011

EN IEC 63000:2018

Leicestershire, 13.08.2021



i.A. Edgar Willems
Director Quality
Industrial Controls & Protection Division



i.A. Bill Butters
Head of Product Line Management
Power Switching & Protection

Types within the range



The declaration of conformity applies to the following types within the product family and in combination with products listed below:

- PV.*A-01XL
- PV.*A-01XL-12
- PV.*A-01XL-15
- PV.*A-01XL-B
- PV.*A-01XL-B-12
- PV.*A-01XL-B-15
- PV.*A-01XL-B-BTM
- PV.*A-01XL-BT
- PV.*A-01XL-BTM
- PV.*A-1XL
- PV.*A-1XL-15
- PV.*A-1XL-B
- PV.*A-1XL-B-15
- PV.*A-1XL-B-BT
- PV.*A-1XL-BT
- PV.*A-2XL
- PV.*A-2XL-11
- PV.*A-2XL-15
- PV.*A-2XL-3B
- PV.*A-2XL-3B-15
- PV.*A-2XL-B
- PV.*A-2XL-B-15
- PV.*A-2XL-B-BT
- PV.*A-2XL-B-BTM
- PV.*A-2XL-BT
- PV.*A-2XL-BTM
- PV.*A-3L
- PV.*A-3L-11
- PV.*A-3L-15
- PV.*A-3L-B

Leicestershire, 13.08.2021

A blue ink signature of i.A. Edgar Willems, written in a cursive style.

i.A. Edgar Willems
Director Quality
Industrial Controls & Protection Division

A black ink signature of i.A. Bill Butters, written in a cursive style.

i.A. Bill Butters
Head of Product Line Management
Power Switching & Protection

Types within the range



The declaration of conformity applies to the following types within the product family and in combination with products listed below:

- PV.*A-3L-B-15
- PV.*A-3L-B-15BU
- PV.*A-3L-B-BT
- PV.*A-3L-B-BTM
- PV.*A-3L-BTM
- PV.*A-3L-BU-15
- PV.*A-3L-BU-15BU
- PV.*A-3L-PS
- PV.*A-3L-U-15
- PV.*AF2
- PV.*AF3
- PV.*AF3-BI
- PV.*ANH1
- PV.*ANH1-B
- PV.*ANH1-BC
- PV.*ANH1-BIM
- PV.*ANH1-BL
- PV.*ANH2
- PV.*ANH2-B
- PV.*ANH2-BL
- PV.*ANH3
- PV.*ANH3-B
- PV.*ANH3-BI
- PV.*ANH3-BL
- PV.*A-2XL-U-15
- PV.*A-2XL-BU-15
- PV.*A-2XL-3BU-15

Supplementary Notes

Asterisk (*) represents the current rating of the fuse-link in amps.

Leicestershire, 13.08.2021

A blue ink signature of i.A. Edgar Willems, written in a cursive style.

i.A. Edgar Willems
Director Quality
Industrial Controls & Protection Division

A black ink signature of i.A. Bill Butters, written in a cursive style.

i.A. Bill Butters
Head of Product Line Management
Power Switching & Protection