

LED STRIP

WOJ+16855_ROLL

LED strip LED STRIP 18 W. It is characterised by a high light efficacy 140 lm/W. It is made of high-quality components, supported by a 5-year warranty. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



| | | | |
|---------------------------|-----------------------|--------------------|---------------|
| Power | 18 W | Voltage | 24 V |
| Luminous flux** | 2520 lm (360°) | Colour temperature | 3000 K |
| Colour of light | WW | Beam angle | 120 ° |
| Degree of protection (IP) | IP20 | | |

Technical data

| | |
|------------------------------|---|
| Code | WOJ+16855_ROLL |
| Power | 18 W |
| Nominal current | 750 mA |
| Voltage | 24 V |
| Energy efficiency class | E |
| Energy consumption | 9 kWh/1000h |
| Frequency | DC Hz |
| Power supply included | No |
| Power factor | 1 |
| Useful luminous flux* | 1260 lm (360°) |
| Luminous flux** | 2520 lm (360°) |
| Lamp efficacy | 140 lm/W |
| Colour temperature | 3000 K |
| Colour of light | WW |
| Beam angle | 120 ° |
| RA | 80 |
| Uniformity of color SDCM max | 5 |
| Dimmable | Yes |
| Working temperature range | -20/+40 ° |
| Lifespan | 50000 h |
| Degree of protection (IP) | IP20 |
| Dimension (AxBxC) | 10x5000 mm |
| For use | Inside |
| Application | INT |
| Made in | PRC |
| Other | Cutting section/sekcja cięcia 50mm , |

Related documents



 Declaration of Conformity

